

David Sherley/BathurstCC

11/12/2009 07:52 AM

File Number.

16.00112 &

Your Ref.

Full Name.

Carter

Title.

Organisation.

To Bob Roach/BathurstCC@BathurstCC

cc David Sherley/BathurstCC@BathurstCC, Carla  
Winkley/BathurstCC@BathurstCC

Ray Subject Ray Carter : submission management plan : sewer -  
2009/2010 & 2010/11 plans

Records

Please place on both files i.e. 2009/10 mgent plan file (16.00112) & 2010/11 (?????) mgent plan file

Paul

The following was part of the report to council on the 2009/10 management plan (DCSF #4, Ordinary meeting 17.06.2009). This had the Heath Consulting letter of 13 May 2009 attached. The last 2 pages that you sent yesterday to councillors are not included in the submissions put to the management plan (?????).

Also when the Mgnt Plan went on public exhibition refer DCSF #4, 15.04.2009, Ray had another submission up on the same issue, see below. This was included in the business paper.

I think you can respond to Ray that yes the submission was considered.

Bob,

Did you send a letter to Ray after the Mgnt Plan was adopted, covering his submission? If so can you let Paul know please.

REPORT TO COUNCIL 17.06.2009.

(d) **Change to Sewer Access Pricing**

**Recommendation:** That Council not amend its Management Plan for 2009/2010 in respect of the submission received from Mr Carter.

**Report:** Council has received a submission from Mr R Carter (**attachment 3**) to change the already adopted best practice system in regard to non residential sewer access charges. This is a further submission to the Management Plan as his previous submission that was considered by Council at its meeting 15 April 2009 was not successful.

Council currently charges an access fee based on the size of the installed meter at a property, using the same methodology that applies to the water fund. When the system was introduced, Council agreed to downsize meters at no cost to the ratepayer upon presentation of a certificate from a hydraulic engineer.

Mr Carter's proposed system is based on nominal meter access charges to compensate for premises where the water meter is oversized for the purpose of firefighting. The alternate method proposed is based on Equivalent Tenements (ET's) and bases the access charges on the peak load that the discharger places on

s) and bases the access charges on the peak load that the discharger places on the sewerage system. Such dischargers therefore have the option of providing to Council an expert report to establish the peak load that their operations place on the sewerage system.

The access charge that Council has adopted reflects the actual access that a property has to the system. Accordingly, it is recommended to continue the existing method for the user pays sewerage charges.

### Financial Implications

Adoption of a new charging structure would require recalculation of the entire sewerage user pays system using the new methodology. Council's operating margins in the sewerage system are minimal and a loss in revenue from Mr Carter's property would require the deficit to be recovered from the rest of the community.

Attachment



3\_submission(d).pdf

REPORT TO COUNCIL 15.04.2009

### SEWERAGE SERVICES

The Sewerage Services budget will have a total expenditure of \$9.124 million this year.

Council's income from Sewerage charges in 2009/2010 has been prepared with a proposed increase in charges of 4.5% in order to maintain the status quo in service delivery.

Council is now in its fifth year of user pays pricing for sewerage services. The introduction of the pricing system was completed to comply with "Best-Practice Management of Water Supply and Sewerage" guidelines issued by the Department of Energy, Utilities and Sustainability (DEUS) and the "Water Supply, Sewerage and Trade Waste Pricing Guidelines" issued by the Department of Land and Water Conservation.

The guidelines state that best practice involves a two part charge, an access charge based on the size of the meter serving the property and a usage charge based on the water usage registered by the meter. A Sewerage Discharge Factor (SDF), being an estimation of the ratio of water returned to the sewerage system compared to total water usage, is then applied to the charges to create equity across non residential customers. DEUS issued a standard set of SDF's for categories of businesses which Council used in its implementation, ranging from 45% to 95%. For example, a hairdressing salon in the CBD will return nearly all its water consumption to the sewerage system as its water would be only used for hair washing and toilets and would be allocated a high SDF. A school, on the other hand, would use a large proportion of its water usage on its grounds and therefore would have a lower SDF as the water is not being returned to the sewerage system.

Council has received a submission from a ratepayer (attachment 1) to change the already

David Sherley/BathurstCC  
 11/12/2009 10:56 AM  
 File Number: 16.00012 & 16.00116-02  
 Your Ref. 16.00121  
 Full Name. Ray  
 Title. Carter  
 Organisation.

To Bob Roach/BathurstCC@BathurstCC, David Sherley/BathurstCC@BathurstCC  
 cc mayor/BathurstCC@BathurstCC  
 bcc Council/BathurstCC  
 Subject Re: Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

Paul

Based on Bob's comments a reply has gone to Ray, I don't see any further action is warranted. Also with him clarifying that this related to the 2009/10 mgent plan, the letter does not need to go to next years mgent plan.

Dave

David Sherley  
 General Manager  
 Bathurst Regional Council  
 158 Russell Street Bathurst NSW 2795  
 Phone: 02 6333 6201  
 Fax: 02 6331 7211  
 Web: www.bathurst.nsw.gov.au  
 Bob Roach/BathurstCC

Bob Roach/BathurstCC  
 11/12/2009 10:24 AM

To David Sherley/BathurstCC@BathurstCC  
 cc mayor/BathurstCC@BathurstCC  
 Subject Re: Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

Dave and Paul,

Ray received the letter a few days after Man Plan was adopted....said his request had been considered but on this occasion Council went with the SDF method...have not heard back from him...until the recent letter and report from Heath Consulting...will refer to next Man Plan for consideration

Bob Roach  
 Director  
 Bathurst Regional Council  
 158 Russell Street Bathurst NSW 2795  
 Phone: 02 6333 6257  
 Fax: 02 6331 7211  
 Mobile: 0408 639 543  
 Web: www.bathurst.nsw.gov.au  
 David Sherley/BathurstCC

BLANK

BLANK

BLANK

BLANK

16.00121/006

David Sherley/BathurstCC  
11/12/2009 10:56 AM  
File Number. 16.0012 & 16.00116-02  
Your Ref. 16.00121  
Full Name. Ray  
Carter  
Title.  
Organisation.

To Bob Roach/BathurstCC@BathurstCC, David  
Sherley/BathurstCC@BathurstCC  
cc mayor/BathurstCC@BathurstCC  
bcc Council/BathurstCC  
Subject Re: Ray Carter : submission management plan : sewer -  
2009/2010 & 2010/11 plans

Paul

Based on Bob's comments a reply has gone to Ray, I don't see any further action is warranted. Also with him clarifying that this related to the 2009/10 mgent plan, the letter does not need to go to next years mgent plan.

Dave

David Sherley  
General Manager  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6201  
Fax: 02 6331 7211  
Web: www.bathurst.nsw.gov.au  
Bob Roach/BathurstCC

Bob Roach/BathurstCC  
11/12/2009 10:24 AM

To David Sherley/BathurstCC@BathurstCC  
cc mayor/BathurstCC@BathurstCC  
Subject Re: Ray Carter : submission management plan : sewer -  
2009/2010 & 2010/11 plans

Dave and Paul,

Ray received the letter a few days after Man Plan was adopted....said his request had been considered but on this occasion Council went with the SDF method...have not heard back from him...until the recent letter and report from Heath Consulting...will refer to next Man Plan for consideration

Bob Roach  
Director  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6257  
Fax: 02 6331 7211  
Mobile: 0408 639 543  
Web: www.bathurst.nsw.gov.au  
David Sherley/BathurstCC

175

BLANK

BLANK

BLANK

BLANK

Very bizarre!!!!!!

Need to put on file!!!!!!!!!!!!!!

Dates are strange!!!!!!!!!!!!!!1

Paul Toole  
Mayor  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6205  
Fax: 02 63317211  
Web: www.bathurst.nsw.gov.auPaul Toole

Councillor  
Bathurst Regional Council  
----- Forwarded by Paul Toole/BathurstCC on 11/12/2009 12:05 AM -----



Ray Carter  
<ray@carterbros.com>  
10/12/2009 05:33 PM

To paul.toole@bathurst.nsw.gov.au  
cc

Subject Re: submission

Hello Paul  
that email that you have responded to was one I was trying to send was  
one I had been trying to send before the close off time for the last  
management plan.  
When my computer would not send it on the day I took a hard copy down to  
Council and handed it in 15 minutes before the cut off time at the rates  
counter.  
What I would like to know is whether or not my submission was considered  
at the last Management Plan Assessment.  
Could you please let me know.

regards  
Ray

paul.toole@bathurst.nsw.gov.au wrote:  
>  
> Ray,  
>  
> I have forwarded to Councillors your attachment and it will be  
> considered in the next Management Plan.  
>  
>  
>  
> Paul Toole  
> Mayor  
> Bathurst Regional Council  
> 158 Russell Street Bathurst NSW 2795  
> Phone: 02 6333 6205  
> Fax: 02 63317211  
> Web: www.bathurst.nsw.gov.auPaul Toole  
>

adopted best practice system in regard to non residential access charges. Council currently charges an access fee based on the size of the installed meter at a property, using the same methodology that applies to the water fund. When the system was introduced, Council agreed to downsize meters at no cost to the ratepayer upon presentation of a certificate from a hydraulic engineer. The proposed system is based on nominal meter access charges to compensate for premises where the water meter is oversized for the purpose of firefighting. The alternate method proposed is based on Equivalent Tenements (ET's) and bases the access charges on the peak load that the discharger places on the sewerage system. Such dischargers therefore have the option of providing to Council an expert report to establish the peak load that their operations place on the sewerage system.

The access charge that Council has adopted reflects the actual access that a property has to the system and is considered to be the most equitable methodology available.

The submission also contains a letter from the then Planning Minister to the ratepayer advising that "Best practice pricing is sometimes a difficult adjustment to make for local water utilities and some of their customers. Bathurst Regional Council has taken a responsible approach in moving to such a tariff".

Accordingly, it is recommended to continue the existing method for the user pays sewerage charges.

The major capital works proposed for 2009/2010 include:

- Construction of Rankin Street high level sewer main interconnections to reduce overflows.
- Replacement of sewerage pumps and aged switchboards at Sewer Pump Stations.
- Concrete reinstatement at inlet works at Wastewater Treatment Works.
- Various treatment work upgrades.
- Various minor capital upgrades.



1\_Submission\_Sewer\_Charges.pdf

David Sherley  
General Manager  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6201  
Fax: 02 6331 7211  
Web: [www.bathurst.nsw.gov.au](http://www.bathurst.nsw.gov.au)

----- Forwarded by David Sherley/BathurstCC on 11/12/2009 07:34 AM -----

Paul Toole/BathurstCC

11/12/2009 12:07 AM

To David Sherley/BathurstCC@BathurstCC

cc

Subject Fw: submission



## Message

### Message Header

From: mayor/bathurstcc@bathurstcc  
To: david.sherley@bathurstcc  
Subject: Re: Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans  
Delivered: 11/12/2009 11:05 AM  
Msg ID: 1401794  
Form: reply  
Signature: 302d021500a269e76a2a74991a2ed95a770caec073767ece640214167d2ed20678ae84

---

### Message

I agree.

He has written another email saying that it was the one for 2009. He wants to know if his letter was considered as part of the management plan. I will respond to him sometime over the weekend and tell him yes it was.

Paul

----- Original Message -----

From: David Sherley  
Sent: 11/12/2009 10:56 AM ZE10  
To: Bob Roach; David Sherley  
Cc: Mayor  
Subject: Re: Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

Paul

Based on Bob's comments a reply has gone to Ray, I don't see any further action is warranted. Also with him clarifying that this related to the 2009/10 mgent plan, the letter does not need to go to next years mgent plan.

Dave

David Sherley  
General Manager  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6201  
Fax: 02 6331 7211  
Web: [www.bathurst.nsw.gov.au](http://www.bathurst.nsw.gov.au)

Bob Roach/BathurstCC  
11/12/2009 10:24 AM

To  
David Sherley/BathurstCC@BathurstCC  
cc  
mayor/BathurstCC@BathurstCC  
Subject  
Re: Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

Dave and Paul,

Ray received the letter a few days after Man Plan was adopted....said his request had been considered but on this occasion Council went with the SDF method...have not heard back from him...until the recent letter and report from Heath Consulting...will refer to next Man Plan for consideration

Bob Roach  
Director  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6257  
Fax: 02 6331 7211  
Mobile: 0408 639 543  
Web: www.bathurst.nsw.gov.au

David Sherley/BathurstCC  
11/12/2009 07:52 AM  
File Number. 16.00112 &  
Your Ref.  
Full Name. Ray Carter  
Title.  
Organisation.

To  
Bob Roach/BathurstCC@BathurstCC  
cc  
David Sherley/BathurstCC@BathurstCC, Carla Winkley/BathurstCC@BathurstCC  
Subject  
Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

Records

Please place on both files i.e. 2009/10 mgent plan file (16.00112) & 2010/11 (?????) mgent plan file

Paul

The following was part of the report to council on the 2009/10 management plan (DCSF #4, Ordinary meeting 17.06.2009). This had the Heath Consulting letter of 13 May 2009 attached. The last 2 pages that you sent yesterday to councillors are not included in the submissions put to the management plan (????).

Also when the Mgent Plan went on public exhibition refer DCSF #4, 15.04.2009, Ray had another submission up on the same issue, see below. This was included in the business paper.

I think you can respond to Ray that yes the submission was considered.

Bob,

Did you send a letter to Ray after the Mgent Plan was adopted, covering his submission? If so can you let Paul know please.

Web: www.bathurst.nsw.gov.auPaul Toole

Councillor  
Bathurst Regional Council

----- Forwarded by Paul Toole/BathurstCC on 11/12/2009 12:05 AM -----

Ray Carter <ray@carterbros.com>  
10/12/2009 05:33 PM

To  
paul.toole@bathurst.nsw.gov.au  
cc

Subject  
Re: submission

Hello Paul

that email that you have responded to was one I was trying to send was one I had been trying to send before the close off time for the last management plan.

When my computer would not send it on the day I took a hard copy down to Council and handed it in 15 minutes before the cut off time at the rates counter.

What I would like to know is whether or not my submission was considered at the last Management Plan Assessment.  
Could you please let me know.

regards  
Ray

paul.toole@bathurst.nsw.gov.au wrote:

>  
> Ray,  
>  
> I have forwarded to Councillors your attachment and it will be  
> considered in the next Management Plan.  
>  
>  
>  
> Paul Toole  
> Mayor  
> Bathurst Regional Council  
> 158 Russell Street Bathurst NSW 2795  
> Phone: 02 6333 6205  
> Fax: 02 63317211  
> Web: www.bathurst.nsw.gov.auPaul Toole  
>  
> Councillor  
> Bathurst Regional Council  
>  
>  
> \*\*\*Ray Carter" <ray@carterbros.com>\*  
>  
> 30/11/2009 12:46 PM  
>  
>  
> To  
> <paul.toole@bathurst.nsw.gov.au>

operations place on the sewerage system.

The access charge that Council has adopted reflects the actual access that a property has to the system and is considered to be the most equitable methodology available.

The submission also contains a letter from the then Planning Minister to the ratepayer advising that "Best practice pricing is sometimes a difficult adjustment to make for local water utilities and some of their customers. Bathurst Regional Council has taken a responsible approach in moving to such a tariff".

Accordingly, it is recommended to continue the existing method for the user pays sewerage charges.

The major capital works proposed for 2009/2010 include:

Construction of Rankin Street high level sewer main interconnections to reduce overflows.

Replacement of sewerage pumps and aged switchboards at Sewer Pump Stations.

Concrete reinstatement at inlet works at Wastewater Treatment Works.

Various treatment work upgrades.

Various minor capital upgrades.

David Sherley  
General Manager  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6201  
Fax: 02 6331 7211  
Web: [www.bathurst.nsw.gov.au](http://www.bathurst.nsw.gov.au)

----- Forwarded by David Sherley/BathurstCC on 11/12/2009 07:34 AM -----

Paul Toole/BathurstCC  
11/12/2009 12:07 AM

To  
David Sherley/BathurstCC@BathurstCC  
cc

Subject  
Fw: submission

Very bizarre!!!!!!

Need to put on file!!!!!!!!!!!!!!

Dates are strange!!!!!!!!!!!!!!1

Paul Toole  
Mayor  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6205  
Fax: 02 63317211

## Message

### Message Header

From: david sherley/bathurstcc@bathurstcc  
To: david sherley/bathurstcc@bathurstcc, bob roach/bathurstcc@bathurstcc  
Cc: mayor/bathurstcc@bathurstcc  
Bcc: council/bathurstcc@bathurstcc  
Subject: Re: Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans  
Delivered: 11/12/2009 10:54 AM  
Msg ID: 1401761  
Form: reply  
Signature: 302c021415d5d7ab43b0def3a9f36b2faabf549b2ccf1b4702146b2650dcca155ac10f9fc

### Attachments

3 submission(d).pdf, 1 submission sewer charges.pdf

### Message

Paul

Based on Bob's comments a reply has gone to Ray, I don't see any further action is warranted. Also with him clarifying that this related to the 2009/10 mgent plan, the letter does not need to go to next years mgent plan.

Dave

David Sherley  
General Manager  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6201  
Fax: 02 6331 7211  
Web: www.bathurst.nsw.gov.au

Bob Roach/BathurstCC  
11/12/2009 10:24 AM

To  
David Sherley/BathurstCC@BathurstCC  
cc  
mayor/BathurstCC@BathurstCC  
Subject  
Re: Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

Dave and Paul,

Ray received the letter a few days after Man Plan was adopted....said his request had been considered but on this occasion Council went with the SDF method...have not heard back from him...until the recent letter and report from Heath Consulting...will refer to next Man Plan for consideration

Bob Roach  
Director  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6257  
Fax: 02 6331 7211  
Mobile: 0408 639 543  
Web: www.bathurst.nsw.gov.au

David Sherley/BathurstCC  
11/12/2009 07:52 AM  
File Number. 16.00112 &  
Your Ref.  
Full Name. Ray Carter  
Title.  
Organisation.

To  
Bob Roach/BathurstCC@BathurstCC  
cc  
David Sherley/BathurstCC@BathurstCC, Carla Winkley/BathurstCC@BathurstCC  
Subject  
Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

#### Records

Please place on both files i.e. 2009/10 mgent plan file (16.00112) & 2010/11  
(?????) mgent plan file

Paul

The following was part of the report to council on the 2009/10 management plan  
(DCSF #4, Ordinary meeting 17.06.2009). This had the Heath Consulting letter  
of 13 May 2009 attached. The last 2 pages that you sent yesterday to  
councillors are not included in the submissions put to the management plan  
(????).

Also when the Mgent Plan went on public exhibition refer DCSF #4, 15.04.2009,  
Ray had another submission up on the same issue, see below. This was included  
in the business paper.

I think you can respond to Ray that yes the submission was considered.

Bob,

Did you send a letter to Ray after the Mgent Plan was adopted, covering his  
submission? If so can you let Paul know please.

REPORT TO COUNCIL 17.06.2009.

(d) Change to Sewer Access Pricing

Recommendation: That Council not amend its Management Plan for 2009/2010 in  
respect of the submission received from Mr Carter.

Report: Council has received a submission from Mr R Carter (attachment 3) to  
change the already adopted best practice system in regard to non residential

184

sewer access charges. This is a further submission to the Management Plan as his previous submission that was considered by Council at its meeting 15 April 2009 was not successful.

Council currently charges an access fee based on the size of the installed meter at a property, using the same methodology that applies to the water fund. When the system was introduced, Council agreed to downsize meters at no cost to the ratepayer upon presentation of a certificate from a hydraulic engineer.

Mr Carter's proposed system is based on nominal meter access charges to compensate for premises where the water meter is oversized for the purpose of firefighting. The alternate method proposed is based on Equivalent Tenements (ET's) and bases the access charges on the peak load that the discharger places on the sewerage system. Such dischargers therefore have the option of providing to Council an expert report to establish the peak load that their operations place on the sewerage system.

The access charge that Council has adopted reflects the actual access that a property has to the system. Accordingly, it is recommended to continue the existing method for the user pays sewerage charges.

#### Financial Implications

Adoption of a new charging structure would require recalculation of the entire sewerage user pays system using the new methodology. Council's operating margins in the sewerage system are minimal and a loss in revenue from Mr Carter's property would require the deficit to be recovered from the rest of the community.

#### REPORT TO COUNCIL 15.04.2009 SEWERAGE SERVICES

The Sewerage Services budget will have a total expenditure of \$9.124 million this year.

Council's income from Sewerage charges in 2009/2010 has been prepared with a proposed increase in charges of 4.5% in order to maintain the status quo in service delivery.

Council is now in its fifth year of user pays pricing for sewerage services. The introduction of the pricing system was completed to comply with "Best-Practice Management of Water Supply and Sewerage" guidelines issued by the Department of Energy, Utilities and Sustainability (DEUS) and the "Water Supply, Sewerage and Trade Waste Pricing Guidelines" issued by the Department of Land and Water Conservation.

The guidelines state that best practice involves a two part charge, an access charge based on the size of the meter serving the property and a usage charge based on the water usage registered by the meter. A Sewerage Discharge Factor (SDF), being an estimation of the ratio of water returned to the sewerage system compared to total water usage, is then applied to the charges to create equity across non residential customers. DEUS issued a standard set of SDF's for categories of businesses which Council used in its implementation, ranging from 45% to 95%. For example, a hairdressing salon in the CBD will return nearly all its water consumption to the sewerage system as its water would be only used for hair washing and toilets and would be allocated a high SDF. A school, on the other hand, would use a large proportion of its water usage on its grounds and therefore would have a lower SDF as the water is not being returned to the sewerage system.

Council has received a submission from a ratepayer (attachment 1) to change the

already adopted best practice system in regard to non residential access charges. Council currently charges an access fee based on the size of the installed meter at a property, using the same methodology that applies to the water fund. When the system was introduced, Council agreed to downsize meters at no cost to the ratepayer upon presentation of a certificate from a hydraulic engineer. The proposed system is based on nominal meter access charges to compensate for premises where the water meter is oversized for the purpose of firefighting. The alternate method proposed is based on Equivalent Tenements (ET's) and bases the access charges on the peak load that the discharger places on the sewerage system. Such dischargers therefore have the option of providing to Council an expert report to establish the peak load that their operations place on the sewerage system.

The access charge that Council has adopted reflects the actual access that a property has to the system and is considered to be the most equitable methodology available.

The submission also contains a letter from the then Planning Minister to the ratepayer advising that "Best practice pricing is sometimes a difficult adjustment to make for local water utilities and some of their customers. Bathurst Regional Council has taken a responsible approach in moving to such a tariff".

Accordingly, it is recommended to continue the existing method for the user pays sewerage charges.

The major capital works proposed for 2009/2010 include:

Construction of Rankin Street high level sewer main interconnections to reduce overflows.  
Replacement of sewerage pumps and aged switchboards at Sewer Pump Stations.  
Concrete reinstatement at inlet works at Wastewater Treatment Works.  
Various treatment work upgrades.  
Various minor capital upgrades.

David Sherley  
General Manager  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6201  
Fax: 02 6331 7211  
Web: [www.bathurst.nsw.gov.au](http://www.bathurst.nsw.gov.au)

----- Forwarded by David Sherley/BathurstCC on 11/12/2009 07:34 AM -----

Paul Toole/BathurstCC  
11/12/2009 12:07 AM

To  
David Sherley/BathurstCC@BathurstCC  
cc

Subject  
Fw: submission

Very bizarre!!!!!!!

Need to put on file!!!!!!!!!!!!!!!!!!!!



Dates are strange!!!!!!!!!!!!!!1

Paul Toole  
Mayor  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6205  
Fax: 02 63317211  
Web: www.bathurst.nsw.gov.auPaul Toole

Councillor  
Bathurst Regional Council  
----- Forwarded by Paul Toole/BathurstCC on 11/12/2009 12:05 AM -----

Ray Carter <ray@carterbros.com>  
10/12/2009 05:33 PM

To  
paul.toole@bathurst.nsw.gov.au  
cc

Subject  
Re: submission

Hello Paul  
that email that you have responded to was one I was trying to send was  
one I had been trying to send before the close off time for the last  
management plan.  
When my computer would not send it on the day I took a hard copy down to  
Council and handed it in 15 minutes before the cut off time at the rates  
counter.  
What I would like to know is whether or not my submission was considered  
at the last Management Plan Assessment.  
Could you please let me know.

regards  
Ray

paul.toole@bathurst.nsw.gov.au wrote:

>  
> Ray,  
>  
> I have forwarded to Councillors your attachment and it will be  
> considered in the next Management Plan.  
>  
>  
>  
> Paul Toole  
> Mayor  
> Bathurst Regional Council  
> 158 Russell Street Bathurst NSW 2795  
> Phone: 02 6333 6205  
> Fax: 02 63317211  
> Web: www.bathurst.nsw.gov.auPaul Toole  
>



BATHURST  
REGIONAL COUNCIL



22. 01972 /021

Civic Centre Telephone 02 6333 6111  
Cnr Russell & William Sts Facsimile 02 6331 7211  
Private Mail Bag 17 council@bathurst.nsw.gov.au  
Bathurst NSW 2795 www.bathurstregion.com.au

22 May 2009

Mr Ray Carter  
3 Toronto Street  
KELSO NSW 2795

Dear Mr Carter

**Re: 16 Vale Road**

Council acknowledges receipt of your letter dated 10 February 2009.

Council wishes to advise that a downsize of your meter at the above property will occur from a 40mm meter to a 32mm meter as recommended by Council's plumbing contractor. This account will be adjusted from the date of your initial request on 10 February 2009.

If you require further assistance please contact Council's Systems Accountant Ms Lesley Haley on (02) 6333 6237.

Yours faithfully

R Roach   
**DIRECTOR**  
**CORPORATE SERVICES & FINANCE**

189

22.01972/024

File No: 22.01972

15 September 2009

Mr Ray Carter  
233 College Road  
BATHURST NSW 2795

Dear Mr Carter

**16 Vale Road**

Council wishes to advise that the meter downsize for the above property has been processed and the adjustment of water and sewer availability charges for part of 2008/2009 and 2009/2010 are set out below.

**Assessment: 4758.50000.5**

Remove	2008/2009 Part year charge for 40mm Water Charge and Sewer Charge 95% SDF	-\$849.23
Add	2008/2009 Part year charge for 32mm Water Charge and Sewer Charge 95% SDF	\$543.55
Remove	2009/2010 full year charge for 40mm Water Charge and Sewer Charge 95% SDF	-\$1829.05
Add	2009/2010 full year charge for 32mm Water Charge and Sewer Charge 95% SDF	\$1171.20
	<b>Total</b>	<b>-\$963.53</b>

If you require further information, please contact Council's Rates Department on 6333 6132.

Yours faithfully

R Roach   
**DIRECTOR, CORPORATE SERVICES  
AND FINANCE**

David Sherley/BathurstCC  
 11/12/2009 07:52 AM  
 File Number.  
 16.00112 &  
 Your Ref.  
 Full Name. Ray  
 Carter  
 Title.  
 Organisation.

To Bob Roach/BathurstCC@BathurstCC  
 cc David Sherley/BathurstCC@BathurstCC, Carla Winkley/BathurstCC@BathurstCC  
 bcc Council/BathurstCC  
 Subject Ray Carter : submission management plan : sewer - 2009/2010 & 2010/11 plans

Records

Please place on both files i.e. 2009/10 mgent plan file (16.00112) & 2010/11 (?????) mgent plan file

Paul

The following was part of the report to council on the 2009/10 management plan (DCSF #4, Ordinary meeting 17.06.2009). This had the Heath Consulting letter of 13 May 2009 attached. The last 2 pages that you sent yesterday to councillors are not included in the submissions put to the management plan (????).

Also when the Mgent Plan went on public exhibition refer DCSF #4, 15.04.2009, Ray had another submission up on the same issue, see below. This was included in the business paper.

I think you can respond to Ray that yes the submission was considered.

Bob,

Did you send a letter to Ray after the Mgent Plan was adopted, covering his submission? If so can you let Paul know please.

REPORT TO COUNCIL 17.06.2009.

(d) **Change to Sewer Access Pricing**

**Recommendation:** That Council not amend its Management Plan for 2009/2010 in respect of the submission received from Mr Carter.

**Report:** Council has received a submission from Mr R Carter (**attachment 3**) to change the already adopted best practice system in regard to non residential sewer access charges. This is a further submission to the Management Plan as his previous submission that was considered by Council at its meeting 15 April 2009 was not successful.

Council currently charges an access fee based on the size of the installed meter at a property, using the same methodology that applies to the water fund. When the system was introduced, Council agreed to downsize meters at no cost to the ratepayer upon presentation of a certificate from a hydraulic engineer.

Mr Carter's proposed system is based on nominal meter access charges to compensate for premises where the water meter is oversized for the purpose of firefighting. The alternate method proposed is based on Equivalent Tenements (ET's) and bases the access charges on the peak load that the discharger places on

BLANK

BLANK

BLANK

BLANK

Very bizarre!!!!!!

Need to put on file!!!!!!!!!!!!!!

Dates are strange!!!!!!!!!!!!!!1

Paul Toole  
Mayor  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6205  
Fax: 02 63317211  
Web: www.bathurst.nsw.gov.auPaul Toole

Councillor  
Bathurst Regional Council  
----- Forwarded by Paul Toole/BathurstCC on 11/12/2009 12:05 AM -----



Ray Carter  
<ray@carterbros.com>  
10/12/2009 05:33 PM

To paul.toole@bathurst.nsw.gov.au

cc

Subject Re: submission

Hello Paul  
that email that you have responded to was one I was trying to send was one I had been trying to send before the close off time for the last management plan.  
When my computer would not send it on the day I took a hard copy down to Council and handed it in 15 minutes before the cut off time at the rates counter.  
What I would like to know is whether or not my submission was considered at the last Management Plan Assessment.  
Could you please let me know.

regards  
Ray

paul.toole@bathurst.nsw.gov.au wrote:

>  
> Ray,  
>  
> I have forwarded to Councillors your attachment and it will be  
> considered in the next Management Plan.  
>  
>  
>  
> Paul Toole  
> Mayor  
> Bathurst Regional Council  
> 158 Russell Street Bathurst NSW 2795  
> Phone: 02 6333 6205  
> Fax: 02 63317211  
> Web: www.bathurst.nsw.gov.auPaul Toole  
>

> Councillor  
> Bathurst Regional Council  
>  
>  
> \*"Ray Carter" <ray@carterbros.com>\*>  
> 30/11/2009 12:46 PM  
>  
>  
> To  
> <paul.toole@bathurst.nsw.gov.au>  
> cc  
>  
> Subject  
>  
>  
>  
>  
>  
>  
>  
>  
> Dear Paul  
> hope you keep well.  
> attached is a report on the sewer access charge by consultant Roger  
> Heath. I put this report in to Council yesterday for consideration  
> in regard to the 09 Management Plan. The report encapsulates the  
> inequities inherent in Councils interpretation of the charge. You said  
> to me that  
> when we met one time at he Visitors Information Center that you would  
> "like to see me go up against Mr Roach" so I guess that is what I have  
> done.  
> This report is also before the NSW Ombussman. Hopefully it will be  
> brought to a head that way or prehaps you may oversea a proper revision  
> of the Charge that sees th  
> first alternative properly and fairly assessed and allowed.  
> I would like for you to distribute this to the other Councillors. Could  
> you let me know on that please. You will find the report succinct in  
> every respect.  
>  
> look forward to hearing from you  
> regards  
> Ray Carter  
>  
>  
> \*\*\*\*\*  
> "This message is intended for the addressee named and may contain  
> confidential information. If you are not the intended recipient,  
> please delete it and notify the sender. Views expressed in this  
> message are those of the individual sender, and are not necessarily  
> the views of Bathurst Regional Council, unless otherwise stated.  
> For the purposes of the Copyright Act, the permission of the holder  
> of copyright in this communication may be taken to have been granted,  
> unless stated otherwise, for the copying or forwarding of this  
> message, as long as both the content of this communication and  
> the purpose for which it is copied or forwarded are work related."  
> \*\*\*\*\*  
>



charges an access fee based on the size of the installed meter at a property, using the same methodology that applies to the water fund. When the system was introduced, Council agreed to downsize meters at no cost to the ratepayer upon presentation of a certificate from a hydraulic engineer. The proposed system is based on nominal meter access charges to compensate for premises where the water meter is oversized for the purpose of firefighting. The alternate method proposed is based on Equivalent Tenements (ET's) and bases the access charges on the peak load that the discharger places on the sewerage system. Such dischargers therefore have the option of providing to Council an expert report to establish the peak load that their operations place on the sewerage system.

The access charge that Council has adopted reflects the actual access that a property has to the system and is considered to be the most equitable methodology available.

The submission also contains a letter from the then Planning Minister to the ratepayer advising that "Best practice pricing is sometimes a difficult adjustment to make for local water utilities and some of their customers. Bathurst Regional Council has taken a responsible approach in moving to such a tariff".

Accordingly, it is recommended to continue the existing method for the user pays sewerage charges.

The major capital works proposed for 2009/2010 include:

- Construction of Rankin Street high level sewer main interconnections to reduce overflows.
- Replacement of sewerage pumps and aged switchboards at Sewer Pump Stations.
- Concrete reinstatement at inlet works at Wastewater Treatment Works.
- Various treatment work upgrades.
- Various minor capital upgrades.



1\_Submission\_Sewer\_Charges.pdf

David Sherley  
General Manager  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6201  
Fax: 02 6331 7211  
Web: www.bathurst.nsw.gov.au

----- Forwarded by David Sherley/BathurstCC on 11/12/2009 07:34 AM -----

Paul Toole/BathurstCC

11/12/2009 12:07 AM

To David Sherley/BathurstCC@BathurstCC

cc

Subject Fw: submission


Very bizarre!!!!!!

BLANK

BLANK

BLANK

BLANK



Carla Winkley/BathurstCC  
30/11/2009 04:13 PM

To Group Records  
cc  
bcc  
Subject Fw: Sewer

BATHURST REGIONAL COUNCIL  
- 1 DEC 2009  
REF. 16.00116-02/012

Records,

Please register

Thanks

----- Forwarded by Carla Winkley/BathurstCC on 30/11/2009 04:12 PM -----

Paul Toole/BathurstCC  
30/11/2009 03:38 PM

To David Sherley/BathurstCC@BathurstCC  
cc Bob Roach/BathurstCC@BathurstCC  
Subject Sewer

Another letter.

I'll forward on to other councillors late tomorrow.

Show Bob as well.

Below was my response to him back in May of this year, after the same accusation.

*Dear Ray*

*Your submission has been forwarded on for consideration in the 2009/10 Management Plan. It has also been forwarded on to each of the Councillors*

*With our meeting at the Visitor Information Centre, I do not recall saying that I would like to "see you up against Mr Roach". To the best of my memory I recall suggesting that any action you take as an individual is for you to determine.*

*Regards*

*Paul*

When I respond i will resubmit this again!!!!!!

Paul Toole  
Mayor  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6205  
Fax: 02 63317211  
Web: www.bathurst.nsw.gov.auPaul Toole

Councillor  
Bathurst Regional Council

Mayor ✓  
GM ✓  
DCSE ✓

## 5.0 CONCLUSION

The water meter size and the peak sewage load of the property was assessed to determine the appropriateness of the current water and sewer access charges currently being levied for the property. Based on our assessment we conclude that the existing property only requires a DN20 water meter. When the existing building is extended and requires a fire hose reel the water meter would need to be DN25.

As a comparison, the current annual water availability charge for a DN40 water meter is \$943.00, a DN25 water meter is \$367.00 and a DN20 water meter is \$235.00.

It is recommended that Council be asked to change the water meter size to 25mm diameter in order to reduce the water availability charge for the property. This change in meter size would be at Council's cost in accordance with the Council resolution.

The peak sewage load placed on the existing sewage system, based on actual water usage, was assessed to be range between 0.05 ETs and 1.49 ETs.

Council's revenue policy allows for a minimum sewer access charge equivalent to a DN20 water meter size (this is the normal size meter provided for a single residential property).

Based on the peak sewage load determined we conclude that this property should only be charged the minimum sewer access charge. As a comparison, the current annual sewer access charge for the property is 95% of \$1339.00, whilst the minimum charge would be \$334.00.

We trust that this information satisfies your requirements, however, if you require further information do not hesitate to contact the undersigned.

Yours faithfully  
**Heath Consulting Engineers**



Per:  
**ROGER HEATH**

## Message

### Message Header

From: paul toole/bathurstcc@bathurstcc  
To: ray@carterbros.com  
Subject: Re:  
Delivered: 10/12/2009 12:24 PM  
Msg ID: 1399430  
Form: reply  
Signature: 302d02147fe25a1186d1f1f5e8b91d101648b1738c485c7a021500851dd4b128bbef4581

### Attachments

[rheathl02\\_08\\_064.pdf](#)

### Message

Ray,

I have forwarded to Councillors your attachment and it will be considered in the next Management Plan.

Paul Toole  
Mayor  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6205  
Fax: 02 63317211  
Web: [www.bathurst.nsw.gov.au](http://www.bathurst.nsw.gov.au) Paul Toole

Councillor  
Bathurst Regional Council

"Ray Carter" <[ray@carterbros.com](mailto:ray@carterbros.com)>

30/11/2009 12:46 PM

To  
<[paul.toole@bathurst.nsw.gov.au](mailto:paul.toole@bathurst.nsw.gov.au)>  
cc

Subject

Dear Paul  
hope you keep well.  
attached is a report on the sewer access charge by consultant Roger Heath. I put this report in to Council yesterday for consideration in regard to the 09 Management Plan. The report encapsulates the inequities inherent in Councils interpretation of the charge. You said to me that when we met one time at the Visitors Information Center that you would "like to see me go up against Mr Roach" so I guess that is what I have done. This report is also before the NSW Ombudsman. Hopefully it will be brought to a head that way or perhaps you may oversee a proper revision of the Charge that sees th

first alternative properly and fairly assessed and allowed.  
I would like for you to distribute this to the other Councillors. Could you  
let me know on that please. You will find the report succinct in every respect.

look forward to hearing from you  
regards  
Ray Carter

- RHeathL02\_08\_064.pdf

---

## Message

### Message Header

From: ray@carterbros.com  
To: paul.toole@bathurstcc@bathurstcc  
Subject: Re: submission  
Delivered: 10/12/2009 05:33 PM  
Msg ID: 1400677  
Form: memo  
Signature: 302d02142dcf46dd979fd7922387594934f89088bbbac779021500c45b3270fd749c3256

---

### Message

Hello Paul  
that email that you have responded to was one I was trying to send was one I had been trying to send before the close off time for the last management plan.  
When my computer would not send it on the day I took a hard copy down to Council and handed it in 15 minutes before the cut off time at the rates counter.  
What I would like to know is whether or not my submission was considered at the last Management Plan Assessment.  
Could you please let me know.

regards  
Ray

paul.toole@bathurst.nsw.gov.au wrote:

>  
> Ray,  
>  
> I have forwarded to Councillors your attachment and it will be  
> considered in the next Management Plan.  
>  
>  
>  
> Paul Toole  
> Mayor  
> Bathurst Regional Council  
> 158 Russell Street Bathurst NSW 2795  
> Phone: 02 6333 6205  
> Fax: 02 63317211  
> Web: www.bathurst.nsw.gov.auPaul Toole  
>  
> Councillor  
> Bathurst Regional Council  
>  
>  
> **"Ray Carter" <ray@carterbros.com>**  
>  
> 30/11/2009 12:46 PM  
>  
>  
> To  
> <paul.toole@bathurst.nsw.gov.au>  
> cc  
>  
> Subject  
>  
>  
>  
>

>  
>  
>  
>  
>  
> Dear Paul  
> hope you keep well.  
> attached is a report on the sewer access charge by consultant Roger  
> Heath. I put this report in to Council yesterday for consideration  
> in regard to the 09 Management Plan. The report encapsulates the  
> inequities inherent in Councils interpretation of the charge. You said  
> to me that  
> when we met one time at he Visitors Information Center that you would  
> "like to see me go up against Mr Roach" so I guess that is what I have  
> done.  
> This report is also before the NSW Ombusman. Hopefully it will be  
> brought to a head that way or prehaps you may oversea a proper revision  
> of the Charge that sees th  
> first alternative properly and fairly assessed and allowed.  
> I would like for you to distribute this to the other Councillors. Could  
> you let me know on that please. You will find the report succinct in  
> every respect.  
>  
> look forward to hearing from you  
> regards  
> Ray Carter  
>  
>  
> \*\*\*\*\*  
> "This message is intended for the addressee named and may contain  
> confidential information. If you are not the intended recipient,  
> please delete it and notify the sender. Views expressed in this  
> message are those of the individual sender, and are not necessarily  
> the views of Bathurst Regional Council, unless otherwise stated.  
> For the purposes of the Copyright Act, the permission of the holder  
> of copyright in this communication may be taken to have been granted,  
> unless stated otherwise, for the copying or forwarding of this  
> message, as long as both the content of this communication and  
> the purpose for which it is copied or forwarded are work related."  
> \*\*\*\*\*  
>

---



Paul Toole/BathurstCC  
10/12/2009 12:24 PM

To Group Councillors  
cc Bob Roach/BathurstCC@BathurstCC, David  
Sherley/BathurstCC@BathurstCC  
bcc Council/BathurstCC  
Subject Sewerage Pricing Submission 2010/11 Budgets

Cirs,

I have been asked to forward this on to you by Mr Carter.



RHeathL02\_08\_064.pdf

BATHURST REGIONAL COUNCIL  
11 DEC 2009  
REF 26.00010-03/038

Bob, Mr Carter requested that this be considered for the next Management Plan. Please include with submissions.

Paul Toole  
Mayor  
Bathurst Regional Council  
158 Russell Street Bathurst NSW 2795  
Phone: 02 6333 6205  
Fax: 02 63317211  
Web: www.bathurst.nsw.gov.auPaul Toole

Councillor  
Bathurst Regional Council

GM  
DCSF  
Cirs✓

BLANK

BLANK

BLANK

BLANK